



**Qoricha Aadaafi Shaakala Eegumsa Fayyaa Namootaafi Bineeldotaa:
Godina Wallaggaa Bahaa Aanaa Heebantuu Irratti**

Margaa Gammadaa

Muummee Afaaniifi Ogbarruu Oromoo, Yuunvarsitiitii Wallaggaa, L.S.P. 395, Naqamtee, Itoophiyaa

Axereraa

Kaayyoon qorannoo kanaa akka aadaatti, hawaasni Aanaa Heebantuu dhibeelee dhukkuboota namaafi bineeldota miidhan dandamachiisuuf shaakala beekumsa xabboo gargaaraman qo'achuudha. Saxaxni qorannichaa sanyaabsa ta'ee, mala akkamtaatti dhimma ba'ameera. Iddatteessuun ilaachisee, Aanaan Heebantuufi gandoolee afur mala kaayyeffataan kan adda ba'an yoota'u, hirmaattonni ammoo dhiirota (12)fi dubartoota (3) mala darbaa dabarsaan filatamaniiru. Odeeffannoo walitti qabuuf meeshaalee afgaaffii gamisa caaseffamaafi marii garee xiyyeffannoo hojiirra ooleera. Odeeffannoон funaanames gabatee keessatti roga rogaan qindaa'ee qaacceffame. Argannoон ijoo adda ba'e, dhukkuboota bal'inaan qorichi qophaa'uuf dhukkuba madaafi garaa ciniinnaadha. Qoricha dhukkubootaaf qophaa'u ilaachisee, dhukkuboota 116f biqiltoota 75 irraa qoricha 126; dhukkuboota 25f bineeldota15 (bineensa bosonaa, balali'oo, beelladaafi ilbisoota) irraa qoricha 17; akkasumas, dhukkuboota 4f albuudota 4 (biyyoo, bishaan bulluqa, daaraa diimaafi nadhii dammaa) irraa qorichi 4 akka qophaa'u adda ba'eera. Darbee, yoomeessaafi akkaataa tajaajila qorichaa irratti dhukkubooni 52(%44.82) ganama, 38(%32.76) yeroo dhukkubbiiin itti dhagaa'amuufi 16(%13.79) galgala yeroo hiribaa ta'uu adda ba'eera. Waliigalatti, qorannoон kun dhimma ijoo guddaa yeroofi baajeta bal'aa barbaadudha. Kanaaf, umurii bu'ureffatee, hanga fadhatamu, amantaa, safuufi laguu hawaasaa qoricha aadaan walqabatu bira ga'uun hindanda'amne. Haata'u malee, dhimmi kun fayyaafi dinagdee biyyaaif shoora olaanaa waan qabuuf ogeeyyonni fayyaafi qorattoonni aadaa waliin ta'uun osoo bal'inaan qoratanii kan afeerudha.

Article Information

Article History:

Received: 24-05-2024

Revised: 15-11-2024

Accepted: 04-05-2025

Jechoota Ijoo: Qoricha Aadaa; Beekumsa Xabboo; Eegumsa Fayyaa; Shaakala

*Qorataa Muummee:
Margaa Gammadaa

E-mail:

margaa.gammadaa445@gmail.com

1. Seensa

Akka hiika Dhaabbata Fayyaa Addunyaatti qorichi aadaa “gochaalee fayyaa, malawwan, beekumsaafi amantaa qoricha biqiltootaa, beeyladaafi albuuda irratti hundaa’ee ta’ee, wal’aansa hafuuraa, tooftaa harkaafi shaakala qofaasaa ykn walitti makamuun dhukkuba yaaluuf, adda baasuuf, ittisuufi fayyaa eeguuf hojiirra oolu” (WHO, 2005). Akkasumas dhukkuba yaalu, adda baasu ykn ittisuuf kan gargaarudha (WHO, 2002 fi Carlo, fi kaan, 2004). Beekumsi qoricha aadaa xabboo kun aadaa, barsiifataafi duudhaa waliin walqabata (Kundu fi Bag, 2012); akkaataa aadaatiin itti fayyadama qorichoottaa biqiltootaafi sirna yaalii dhukkubaa hammatedha (Haile fi kaan, 2008’fi Kebebew, 2016). Beekumsi kun hawaasni kaayyoo guddinaaf gama hundaan naannoo isaa akka fooyyessuufi jijiiru Jain fi kaan (2014); akka guddisu, misoomsuu Aragaw fi kaan (2020)fi kunuunsuu waan taasisuuf baay’ee barbaachisaadha (Getnet, 2017; Selamawit fi Zerihun, 2022).

Kanaaf, biyyoota guddatan keessatti fayyadamni qoricha aadaa qoricha dabalataa /cultural alternative medicine (CAM) jedhamee waama (Haile fi kaan, 2008; Kidane, fi kaan, 2018). Gama biraatiin, qorichi aadaa Afrikaa Oliver-Bever (1986), Pearce (2000), Chivian (2002)’fi Tshehla (2015) beekumsaafi gochaaleen, ibsamuu danda’u ta’uu baatus,

walitti makamuu waliigalaa, dhukkuboota qaamaa, sammuu ykn hawaasummaa adda baasuu, ittisu ykn wal'aansa keessatti kan itti fayyadamanifi muuxannoo darbe irratti qofa kan hirkatanidha (WHO., 2001, WHO., 2004).

Qorichi aadaa, biyyoota guddachaa jiran hedduu kan akka Eeshiyaa, Laatiin Ameerikaafi Afrikaa keessatti fedhii kunuunsa fayyaa jalqabaa ummataa guutuuf tajaajila (WHO., 2000; WHO., 2003). Itoophiyaa keessattis qorichi aadaa sirna eegumsa fayyaa keessatti gahee olaanaa qaba (Yadav, 2013). Kanaaf, ummanni %80 ol fudhatama aadaa irraa kan ka’e, qoricha aadaa irratti kan hirkatudha (Mathews, 1999fi Bussa fi Gameda, 2018).

Kunimmoo, baasii xiqqaa ta’een kan argamuufi dhaabbilee fayyaa ammayyaa argachuuh dhabuu irraa kan maddedha (Amare, fi Getachew, 2019; Alemu, fi kaan, 2024). Ummanni Itoophiyaa harki guddaan baadiyyaa jiraatu, tajaajila fayyaa argachuun qormaata ijoodha (Ray, 2014). Kana malee, qabeenyi damee fayyaa keessa jiru (hojjetoota fayyaa, qabeenyiifi qorichi) daangeffamaadha (Alves, fi Rosa, 2007). Qormaanni guddaan qaawwa tajaajilaa daangeffameefi ummata barbaadu gidduu jiru akkamitti akka dhiphisuu danda’amu murteessaa ta’uu (Transitional Government of Ethiopia Health Sector

Strategy, 1995) himameera. Bara 2003/2004tti yoo xiqqaate ummati %30 tajaajila fayyaa idilee akka hinarganne ibsameera (Freeman fi Motsei, 1992). Rakkoo kanaaf, gumaacha guddaa kan taasise hanqina hakiimotaafi ogeeyyiin fayyaa ta'uu isaati (Nakta, 2002). Giddugaleessi reeshiyoon hakiimaafi baay'ina ummataa biyyalessaa 1:51042 yoo ta'u, hakiimonni magaalota gurguddoo sadii keessatti argaman keessaa %35 ol yoo ta'u, baay'ina ummataa waliigalaa keessaa %4.7 qofa tajaajilu (Federal Democratic Republic of Ethiopia Ministry of Health, 2004).

Kanarraa kan ka'e, waggoota dhiyoo asitti qorichi aadaa sirna fayyaa keessatti gahee olaanaa akka qabu hubatameera (Stewart, 2007; Meena fi Rao, 2010). Mootummoonni biyyoota guddachaa jiran hedduunis barbaachisummaa isaa hubachuun sagantaalee damee eegumsa fayyaa keessatti gochaalee qoricha aadaa fayyaaf qabuufi bu'a qabeessa ta'an guddisuuf jalqabbii godhaniiru (Dawit, fi Ahadu, 1999; WHO., 2005; Amare fi Getachew, 2019). Innis beekumsa biqiltoota qorichaaf oolan walitti makuun kan qopheessan yoo ta'u, adeemsa shaakala fayyinaa hafuuraa keessattillee gahee guddaa kan qabudha (Kassaye fi kaan, 2006). Haata'u malee, beekumsi xabboo kun naannoo qorannoo kanaatti dhalootatti darbaa kan dhufe ta'us, jijiirama aadaan dagatamaa deemuu, qabeenyi uumamaa oomishaalee qoricha aadaaf

oolu hir'achaa dhufuuniifi namoonni qoricha aadaa qopheessan dhabamaa deemuu irraa kan ka'e, balaa baduutu isa mudachaa jira (Kalayu fi kaan, 2013). Kanaaf, qorannoон kun akaakuu biqiltootaafi albuudotaa wal'aansa namaafi bineensotaaf oolaniifi faayidaa isaanii galmeessuuf kan kaayyeffatedha (Williams fi kaan, 2011).

Itoophiyaa keessatti, daraaraa dabalatee biqiltooni qorichaaf oolan gosoota 6500-7000tti dhihaatan akka of keessaa qabu adda ba'eera (Chali fi kaan, 2021fi Fekadu, 2001). Kanneen keessaa %12-19 biyyattii keessatti kan argamanidha (CBD, 2008). Biqiltooni qorichaaf oolan kunneen gosoota wal'aansa namaafi beeyladaa adda addaatiif oolaa turaniiru (Heilbron fi Guttman, 2000). Akka argannoo qorannoo Itoophiyaatti, gara %80 ummanni namaafi %90 beeylada qoricha aadaa irratti kan hirkatan yoo ta'u, biqiltooni qorichaaf oolan dhukkuboota namaafi beeyladaa tokko tokkoof gatii qoricha baay'ee bu'a qabeessa ta'e akka qaban (Gabriel fi Guji, 2014) agarsiisaniiru. Itoophiyaa keessatti amantaafi gatii hawaasni qorichaa aadaaf qabuufi, aadaan walqabsiisee baasiin isaa xiqqaa ta'uun isaa barbaachisummaan biqiltoota qorichaaf oolani guddaa taasise (Bekele fi Reddy, 2015, Gidey fi kaan, 2015; Melaku, 2021).

Hawaasa Oromoo keessattis beekumsa xabboo – qoricha aadaa naannoo uumamaa waliin haala walitti dhufeenya qabuun, fayyaa irratti hubannoo horataa dhufee jira (Abera, 2014). Hawaasichi beekumsa kana madaqsuuf yeroon walqabsiisee naannoo adda ta'e keessatti, haala galumsa aadaa isaatiin guddifataa dhufee jira (Fekadu, 2001fi Shosan, fi kaan, 2014). Beekumsi xabboo waliigalaa kun ammoo, kunuunsaafi bakka buusa naannoo uumamaa haala walitti dhufeenya qabuun taasifameen daddarbaa as ga'e (Hillenbrand, 2006); qaama kuufamaas qabaate (Melaku, 2021). Kunis aadaa, afaan, sirna moggaasaa, ramaddii, gochaalee itti fayyadama qabeenyaa, sirna, afuurummaafi ilaalcha addunyaa hawaasaa haala hammataa ta'eenidha (Hill, 2009). Kanaaf, shaakalliin beekumsa qoricha aadaa kun, sonawan, aadaa, duudhaafi seera, muuxannootiin dhaloota itti aanutti ce'aa akka dhufe qorattooni mirkaneesson (Kefalew fi kaan, 2015).

Ijoon qoranno kanaaf qorataa kakaase, beekumsi xabboo durii kun dhalootaa dhalootatti darbaa kan dhufe ta'us, dabarsuu irratti ammoo, rakkoon bal'aan kan mul'ataa jiru ta'uu; itti fufiinsa beekumsa kanaa xiqaachaa deemuun dhaloota balaa xixiqqaadhaaf kan saaxilaa jiru ta'uu qorataan habuuredha. Kunimmoo, kalaqa qorichaa ammayyaa xiqaressa; qorattooni gama

aadaanis ta'e gama fayyaan carraa ragaa bal'aa argachuu hanqisa. Kanarraa kan ka'e, akka aadaatti namootaafi bineeldota dhibeerraan oolchuu qorachuun murteessaa waan ta'eef, qaawwaa qorataa kakaase keessaa kanneen isaan tokkodha. Kanarraa ka'uun gaaffileen qoranno kanaan deebii barbaadan: 1. Akaakuu dhukkubaa kamiif jiinesii, sanyiifi maatii biqilootaa irraa qorichi aadaa qophaa'a?fi 2. Qorichi aadaa yoomessaafi akkaataa akkamii keessatti tajaajila? Jedhu irratti beekumsa xabboo agarsiisuuf xiyyeffatame.

2. Malleeniifi Meeshaalee

Naannoo qo'annichaa ilaalchisee, qoranno kun kan gaggeeffame Oromiyaa Lixa, Godina Wallagga Bahaa, Aanaa Heebantuuttidha. Iddoowwan qorannichaa kan filatameef, shaakalli hojii qoricha aadaafi yaada maanguddoota beekumsa qoricha aadaa qabaniit naannoo sana jiran irratti hundaa'uunidha. Dabalataanis, zooni qilleensa qonnaaf (agro-climatic zones) mijataa ta'e yaada keessa galchuun Aanaafi Gandoota kaayyoodhaan filachuun xiyyeffatame. Aanaan kun Oromiyaa Lixa kessaa Godina Wallaggaa Bahaa ta'ee, Finfinnee irraa Km 458 fagaatee argama. Naanno kun, olka'iinsi lafa galaanarraa m. 2261' yoo ta'u gadi bu'iinsi lafaa galaanarraa m.1031.2dha. Haalli qilleensa badda dareen 65 (%53.85)'fi baddaan

35% 46.15), kan hammatamedha. Ho'i wagga xiqaafi guddaan °C14°-C26 yoo ta'u, waggaatti giddu galeessaan rooba mm. 2200dha. Laatityudii Aanaa kanaa 9°55'30 K_10°13'0''K. ta'ee, Loongitiyudii 36°18'0''B_36°32'0''B gidduutti kan argamudha.

Saxaxni qorannoo kanaa sanyaabsa. Saxaxa kanaan odeeaffannoon walitti qabame qindaa'ee jechootaan addeeffameera. Hirmaattonni iddatteeffataman maanguddootaafi ogeeyyi qoricha aadaa fayyaa namootaafi bineeldotaaf qopheessuun tola ooltummaadhaan hojjetaa turanidha. Isaanis gandoota afur keessaa, dhiira 12fi dubartoota 3 waliigala rag-himtoota 15 mala akkayyoofi darbaa dabarsaan filatamanidha.

Tooftaa ittiin ragaan walitti qabame, afgaaffii gamisa caaseffamaa, marii garee, daawwannaafi qajeelfama deemsa dirreetiin raawwatame. Yeroo af-gaaffiitti waa'een ramaddii biqiltootaa of eeggannoondhaan galmaa'e. Daawwannaam dirreetiin amala, bakka argamaafi kunuunsa gosoota biqiltoota qorichaaf oolanii ilaalam. Yeroo deemsa dirreetti ammoo, biqiltooni qorichummaaf oolan, kanneen bosona keessaafi nannoo manaatti argaman irraa walitti qabuuf mala biqilota adda baasuutti (*an ethno botanical survey*) dhimma ba'uun amaloota biqiltooni

sun qaban tarreeffameera. Tarreessuun erga raawwatame booda ammoo, saamuda adda baasuufi mirkaneessuuf furtuu taksonomiifi jildii adda addaa Filoora Itoophiyaafi Eertiraa fayyadamuun raawwatame (Edwards et al., 2000; Hedberg et al., 2006).

Ragalee guuraman qaaccessuu irratti, qorichoota biqilotaafi albuudota irraa walitti qabame akaakuu isaanii ijoo ijootti qoqqooduun dhibbantaatti jijiiruunis jechaanis ibsamaniiru. Fakkeenyaaaf, maqaa naannoo ittiin beekamu, bakka itti biqilu, gosa biqilaa, maqaa sanyii, maqaa maatii, qaama qorichummaaf gargaaru, akkaataa itti qophaa'u, waan itti dabalamu, dhukkuba fayyisu, yeroo fayyadamaa, hanga fayyadamaafi akkaataa ittifayyadamaa qoricha aadaa duraa duuba isaa eeguun qaacceffameera.

3. Qaaccessa Ragaaleefi Argannoowwan

3.1 Seenduubee Rag-himtoota Waliigalaa

Seenduubee raghimtoota ilaachisee barsiisotaa qoricha aadaafi ogeeyyota qoricha aadaa ta'an dhiira 12(%80)'fi dubartoota 3(%20) ragaalee kennuu keessatti hirmaataniiru. Kanneen kunis gama amantaatiin namoonni 13 (%86.67) hordoftoota Pirotestaantii yoota'an, 2(%13.33) hordoftoota Ortodoksiidha.

Umurii hirmaattotaa ilaachise namoonni 9(%60) kanneen Yuuba 1^{ffa} hanga Yuuba 3^{ffa} keessatti argaman yoo ta'u, 5(%33.34) Qondaalaa hanga Gadoomaaf gidduutti argaman ta'ee,

1(%6.66) ammoo umurii Jaarsa Qullichaa keessatti kan aramanidha. Namoonni kun, muuxannoo qoricha aadaa qopheessuu irratti qaban ilaachisee: Namoonni 4(%26.67) muuxannoo waggaa 41 olii; namooni 4(%26.67) muuxannoo waggaa 21; namoon 2(%13.33) muuxannoo waggaa31 olii; 2(%13.33) muuxannoo waggaa 11 olii akka qaban yoo aada ba'u, namni 1(%6.66) muuxannoo waggaa 61 oliifi 1(%6.66) muuxannoo waggaa 6 olii akka qabu hubachatameera. Barnoota od-himtootaa ilaachisee, namoonni 6(%40) kutaa 1-8, 6(%40) kan hinbaratiin, 3(%20) dippiloomaaafi isaa olii kan qabanidha.

3.2 Akaakuu Dhukkubaa Qorichi Aadaa Jiinesii, Sanyiifi Maatii Biqilootaarrraa Qophaa'u

Odeeffannoo walitti qabame keessaa, gama qorichaan dhukkuboota 116f biqiloota 75 irraa qoricha 126; dhukkuboota 25f bineeldota15 irraa qoricha 17 qophaa'a. Akkasumas, dhukkuboota 4f albuudota 4 irraa qorichi 4 akka qophaa'u hubatameera. Darbee, ragaan Jiinasii (*Genus*) 51'fi sanyii (*spicias*) 53, maatii (*family*)133, kan walitti qabamedha. Biqiloota sanyiin isaanii 51 kanarratti hundaa'uun qoricha aadaaf gargaaran 147 argame Gabate gdii, irratti dhiyaateera.

Dhukkuboota bal'inaan qorichi aadaa bl'inaan qophaa'uuf ilaachisee, dhukkuba madaaf biqiloota 14(%18.66)'rraa; garaa ciniinnaaf biqiloota 10(%13.33) irraa sad. 1^{ffaa}f 2^{ffaa} qorichi bal'inaan hojjetamuufiida. Dhukkuboota 116 keessaa dhukkuboonti 25(%21.55) biqiloota 2fi isaa oliirraa qorichi yoo hojjetamuuf; dhukkuboota 75(%64.66) ammoo biqiloota tokko tokko

duwwaarraa kan hojjetamu; dhukkuboota 16(%13.79) walitti makamiinsa biqilootaarrraa qorichi tokko tokko akka qophaa'u hubatameera.

3.3 Yeroofi Akkaataa Tajaajilamaa Qoricha Aadaa

Sa'atii qorichi aadaa itti fudhatamu ilaachisee dhukkuboonti 52(%44.82) ganama ganama, 38(%32.76) yeroo dhukkubbiin itti dhagaa'amu, 16(%13.79) galgala yeroo hirribaa akka fudhataman hubatameera. Dhukkuboonti 6(%5.17) galgala /guyyaa/; 4(%3.45) ammoo ganama yookaan guyyaa akka fudhatamu hubatameera. Akkaataa fudhanna qoricha aadaa ilaachisee dhukkuboota 38(%32.76)'f dhuguun, 23(%19.83)'f liqimsuun, 11(%9.48) itti naquun, 4(%3.45)'f nyaachuun, 2(%1.72)'f alanfachuun, 2(%1.72) itti riguun

Qorichoonti yeroofi tajaajila isaaniirratti hundaa'an kun argama isaanii illchisee qorichoonti aadaa 17 bineeldota 15irraa dhukkuboota 25f akka hojjetamu hubatame. Isaanis, bineensi bosonaa 7(%46.67), balali'oon daggala 3(%20), beelladni qee 2(%13.33), ilbisootaa bakka mara jiraatan 2(%13.33)'fi munyuuqaa holqa jiraatu 1 (%6.67) irraati. Qorichi aadaa albuuda akka biyyoo, bishaan bulluqe, daaraa diimaafi nadhii dammaa irraas akka argamu adda ba'e. Kanneen, bulbuluu, boxxuufi waliin makuun kan qophaa'u ta'ee dhadhaaf qullubbii diimaafi adii akka itti dabalaman ibsame. Ragaaleen kanneen waliigalaan gabatee kanatti aanu keessatti dhiyaateera.

Qoricha Aadaa Biqiloota (Mukootarraa) Qophaa'u												
Maqaa Naannoo	Bak. itti Biqil u	Gosa Biqilaa	Maqaa Saayinsii	Maqaa maatii Family name	Qaama Qorichaaf Gargaaru	Akkaataa Qophii	Waan Dabalamu	Dhukkuba Fayisu	Yeroo Fayya damaa	Hanga Fayya damaa	Akkatti Fayya damaa	
Dhum-muuga	Qe	Bi	Justicia schim-periana (Hochst exNees)	Acanthaceae	Baala	kichuu sukuuma nii affeeluu	bishaan	busaa	Guyyaa guyyaatti	Siinii 1	dhuguun	
					Baalaafi hundee	walitti tumama	bishaan	mataa bowwwuu	yroo dhukkubu			
Qomo-nyoo	Bo	M	Brucea antidyssentrica Fresen	Simaroubacea, Fabaceae,	hundeeifi baala	tumamee gogsuun daakama	bishaan	saree maraatuuf			obaasuu n	
					ijaafi baala	tumamee gogsuun daakama	bishaan	madaa horii gogsaa			dibuun	
					hundee	gogsuun daakama	aannan	garaa kaasaafi ciniinnaaf	ganama ganama	fallaana 1	liqimsuu	
Ceekaa	Bo	M	Calpurnea aurea (L'Herit.) Schweick.	Fabaceae,	firii/ija	hakaa'amee boxxama	dhadhaa	ijjaaf	galgala yeroo rafan	safartuu guurii 1	ittidibu	
					baalaafi hundee	Cuunfaasaa	bishaan	oldeebisaa	galgalaafi ganama	Siinii 1	dhuguun	
						Cuunfaasaa	bishaan	teessisaa deddebi'u	galgalaafi ganama	Siinii 1	dhuguun	
						Cuunfaasaa	bishaan	raammoo garaa horii	ganama ganama	burcuqq oo 1	obaasuu n	
					Cuunfaasaa	bishaan	garaacha	ganama	Siinii 1		dhuguun	
					daraaraa	Cuunfaasaa	bishaan		ganama			
					hundee	daakama	dhadhaa	dhibee gogaa	ganama		dibuun	
Haanquu	Bo	Bi	Embelia shimperi Vatke	Myrsinaceae	Ija	gogsuun alanfatama		minniifi maaga	ganama lama	fallaana 3	liqimsuu	

Haranga maa gur-raacha	Bm	Bi	Pteralobium stellatum	Fabaceae	Hundee Ija	tumanii cuunfu bulleessanii daaku	buna danfe dhadhaa	Budaa baasa ija loonii			obaasuu dibuun
Qobboo diimaa	Qe	Bi	Ricinus communis L.	Euphorbiaceae	baala jiidhaa	affeluun	abishii	caba fay'isa	Guyya-guyaatti		Cabaatti hidhuun
					Ija	Daakamuu	aannan	dhibee tasaa	ganama ganama	fallaana an	liqimsuu
Alaltuu	La	M	Salix subserrata	Salicaceae	Baala	Cuunfaasaa		waraansa/ quuqqaa	ganama ganama	fallaana an	liqimsuu
					Baala jiidhaa	tumamee bullaa'a		qaaqeef	ganamafi galgala	Muraa 1	dibatu
Hadheesa	Bm	M	Teclea nobilis Del.	Rutaceae	Baala jiidhaa	tumamee bullaa'a		horii bokoke	yroo bokoku	Burcuqq oo 1	dhuguu
Andoode e dhalaal	Bm	Bi	Phytolocca dodecandra, L 'Hert.	Phytolaccaceae,	qaama hundaa, hidda kichuu	tumamee bullaa'a	dhangala'o dhugamu aannan	Saree maraa tuuf Ulfa baasuuf Garaachaaf	ganama al-tokko	Siinii 1	dhuguu
					hundeefi baala	alalfatamee bishaansaa liqimfama		ulfa hinbar- baachifne ji'a 3 gadi baasuuf	ganama		liqimsuu
Baarga moo diimaa	Di	M	Eucalyptus camaldulensis	Myrtaceae	Baala jiidhaa	gubanii haarsu		Budaa baasa	yroo qabaman		itti harsuu
Baarga moo adii	Di	M	Eucalyptus globules Labing	Myrtaceae,	baala jiidhaa	affelanii haarsu		Utaalloo	yroo qabaman		ulachuu
Ittachaa	Bm	Bi	Dodonia angustifolia	Sapindaceae	baala jiidhaa	tumanii bulleessuu		Madaa qeerruu	ganama ganama		Itti naquu
Bakkan niisafi Tamboo	Qe	Bi			Baala jiidhaa	tumuu	daaraa kobotaan sukkumama	Funyaan sinbirri faalte	ganama harka buleen		dibatu

Hancab bii, Bak kanniisa, Maxxan neefi Ulu maayiifi Baarga moo dii maa	Bo Bm	Bi M			Buala jiidhaa	Hunda walitt tumanii bulchuun ganama cuunfani qopheessuu		Michii	Hundiuu ganama galgala		dibatu
Botoroo	Bm	M	Stereosper mum kunthianum	Bignoniacea e	Qola	tumuun bulleessu	cumaa	Sa'aa aannan dhabde	ganama, ganama		nyaachis u
			Stereosper mum kunthianum	Bignoniacea e	Qola	tumamee dhimbiibama		Afuura jawweefi Gosobo	ganamaafi galgala	Finjaala 1	obaasu
Heexoo dhalaal	Bo	M	Hagenia abyssinica (Brace)J.F . Gmel	Rosaceae	daraaraa	gogfamee daakama		minnii	ganama barii	Finjaala 1	dhuguun
Hoomii	Bm	M	Prunus africana (Hook. f.) Kalkman	Rosaceae,	Qola	tumamee bullaa'a		Madaa fayuu dide	ganamaafi galgala		dibuu
Gambeel loo	Bm	M	Gardenia temifolia Schumach	Rubiaceae	firii	gogsuun daakama	aannan	Ijaaf	galgala yeroo rafan		ittidibu
Andoo deefi Abbayyii Barbare e lafaa	Bm	Bi,	Capsicm annum L.	Solanaceae	firii	walitti daakamee bullaa'a	dhadhaa	Cittoo/Shifoo	galgala, galgala		dibuu
	Bm Qe	M Bi			daraaraa	kutanii alanfatu		Uuba qoonqoo	ganama barii	1:00- 2:00	alanfach uu
Abbaa qiddii, Armanci tiifi Aan nannoo	Di	Bi			hidda	tumamee	bishaan	Dhibee tasaa	yeroo mudatame	al-tokko	alanfata mee liqimsa ma

Haqal-qala	Bo	Bi			firii	daakamee boxxama	Dhadhaa	Marammartoo, Mata-dhukkubbii	halkan yeroo rafan		Mataa dibatu
Gaattira a (Xidii)	Qe	M	Juniperus procera Hochst	Cupressaceae	baala	jidhaa isaa		Bookee busaa fixa	Galgala/guy yaa		Itti aarsuun
Hiddiifi	Di	Bi	Solanum incanum	Solanaceae	dhangala'aa	cuunfanii walitti makama		Uuba qoonqoo bu'e	ganama barii	fallaana 2	liqimsuu
Loomii	Qe	M	Justicia schimperiana (Nees) T.	Euphorbiaceae,					ganama	finjaala 1	Dhuguu/ittiinsuk kumuun
Abasuu-da gur raacha	Qe	Bi	Nigella sativa	Remunculaceae	firii	daakamee qophaa'a	cuunfaa baala muka surraa	Maraammar-toofi gurraaf	galgala torban tokkoof		dibanii buluu
						boxxamee qophaa'a	Komxaaxxe siinii 1fi cuun faa qulubii adii fallaana 1	Forooforiifi Roobbii Injiraaniifi cinii			
					hundee	tumamee gogee daakama	Aannan	Laamshessaa	ganama ji'a 2f	birciutto 1	dhuguun
						fottoksanii nyaatu	Nyaata	Michii sombaa	ganama ganama	fottoqa 3	ninyaata ma
Azambala	Bm	Bi			hidda	tumun aduutti gogfama	Nadhii dammaa	Fanxoo	ganama torban 3f	fallaana 3	liqimsuu
Xabanaa yee	Di	Bi	Securidaca longepedunculata Fresen	Polygalaceae	hidda	dhiqamee tumamee bullaa'a	Damma siinii tokko	Garaa ciniinnaaf	yeroo dhukkubu	birciutto 1	dhugama
Sootal loo	Di	M	Millettia ferruginea	Fabeceae	firii/quncee	daakanii bulleessuun	Buna/shayi i	Dhulaandhula aijeesa	ganamaafi galgala	siinii 1	dhugama
Tamboofi Eebich	Qe	Bi				baala	walitti tumuun bulleessu	Nyaata	Horii huqqate furdisa	ganama ganama	nyaachuun
Qarabi choo	Bm	Bi	Echinops kebericho, Mesfin	Asteraceae,	hidda	gogsanii daaku	bunaan	Oldeebisaa Mataa bow'uu	ganama ganama	Siinii 1	dhuguu
						tumanii calalu		Ilkaan, Minnii	ganama	burcuqqo 1	Itti cininu obaasu

Hungud aayee	Di	Bi	Pluleus Cervinus		hundee	Bullaa'ee bulbulama	biyyoo itti buqa'e walin	Summii bofaa, Summii jawwee	sa'aa ciniinametti	burciqq oo 1	obaasuu n
Buna	Bm	Bi	Coffee arabica L.	Rubiaceae,	ija	daakamee bullaa'a		Madaa dhinsa	yeroo dhukkubu	Al-takka fallaana 1	Itti naquu
Mixoo	Bo	M	Rytigynia neglecta (Hiern) Robyns	Rubiaceae	baala	sukkuumuu cuunfu	dhadhaa	Kormommuu	ganama 2-3	altokko	ittiriguu
Iddii hoolaa	Di	Bi	Cucumis ficifolius	Solanaceae	hidda	ibiddatti ruuquun yeroo diimatu		Mataa bowwwu	yeroo dhukkubu	hidda 1	ulachuu
Qullub bii adii	Qe	Bi	Allium sativum L.	Alliaceae,	hundee	tumamee bullaa'ee	damma siinii 1, abasuuda gurraacha daakamaafi bishaan	Summii Minnii Garaa kaasaa Maagaa Madaa raamma'e	Ganamaafi Galgala, fallaana 3-5		liqimsuu dibuun
Cilaadd amoo	Qe	Bi	Ruta chalepensis L.	Rutaceae	Baalaafi firii	gogee daa-kamee bullaa'a	Shayiin danfaa	Kalee	ganama hanga fayyantti	fallaana 2 qofa	dhuguu
Qaca-maa	Bm	M	Myrsine Africana L.	Myrsinaceae	baala	Tumanii bulleessanii walitti makuun guyyaa 9f qilleensa maleetura.	Damma, dhadhaa baqe, bunaa, qullubi adii, fallaana 2-3fi ashaboo fallaana 1	Nimooniyaa	ganama ganama	fallaana 1	liqimsuu n
					baala ijasa	ibiddaan gubamee daakama	bishaan /buddeena/	Dhiigni laguu danachu, Baayyna dhiigaafi Raammo garaaf	ganamaafi galgala		ulachuu liqimsuu

4. Argannoo, Ibsaafi Goolaba

4.1 Argannoofi Ibsaa

Qo'annoon kun qoricha aadaafi shaakala eegumsa fayyaa namootaafi bineeldotaa xiinxaluu irratti kan bu'uureffatedha. Kanarraa kan ka'e, ragaalee 147 qorichoota aadaa biqilotta irraa qaama bineeldotaafi albuudota garaagaraa irraa qophaa'an walitti qabamee hojjetame. Ragaalee walitti qabaman kana keessaa, maatiin biqiltootaal33 ta'u. Isaan kana keessaas sanyii 53fi jenesii 51dhukkuboota namaafi bineeldota wal'aanuuf akka oolan adda ba'eera. Sanyii dhiyaatan keessaa 24 tokko tokkoon isaanii 1(%1.88) haala walfakkatuun argamaniiru. Kanas, ragaa Abera (2014), fi Awas'fikaan (2009) dhiyeessan kan mirkaneessudha.

Qoranno kanaan argannoon mul'ate, maatii biqilootaa qorichummaaf oolan keessaa, maatiin Fabaceae sanyii 4; maatiin Asteraceae, Euphorbiaceae, Myrsinaceae, Phytolaccaceae, Rubiaceae, Rutaceaefi Solanaceae tokko tokkoon isaanii sanyii 3; maatiin Brassicaceae'fi Ranunculaceae, tokko tokkoon isaanii sanyii 2 mul'ateera. Sanyii kanneen keessaa maatiin Fabaceae, Euphorbiaceae, Myrsinaceae, Phytolaccaceae, Rubiaceae, Rutaceaefi Solanaceae Jiildii Filooraal Itoophiyaafi Eritiraal dhiyaatan (Edwards, fi kaan 1997; Hedberg, fi kaan,

2006) keessaa caalmaatti kanneen bal'inaan qorichummaaf tajaajilan ta'uu adda ba'eera.

Argannoon biroon qo'anno kanana hubatame, qorichi aadaa qophaa'u bal'inaan biqiltoota bakka hundatti argamu irraa akka ta'e barame. Qorannoon biyyoota garaagaraa hojjetames, dhimbantaan sanyiin biqiltootaa qoricha aadaaf gargaaran, kanneen daggala keessatti biqilan ta'uu mirkaneessa (Lev, 2003fi Doffana, 2019). Bakka biqila biqiltoota ilaachisee, argannoon qorattootaa bosona uumamaafi bakka maratti ta'uu akka danda'u mirkaneessaniiru (Ozgen fi Houghto, 2012; Getnet, 2017; Selamawit fi Zerihun, 2022).

Argannoon biroon qoranno kanaan ilaalam, hiddiifi baalli biqiltootaa, foon bineensotaa qaamolee bal'inaan qorichummaaf oolan ta'uu adda ba'e. Darbee, baalli battala ciramee hojjetamu ho'aan isaa isa gogee hojjetamu caalaa dhibee kamuu fayyisuurratti cimaa akka ta'es hubatameera. Kana ilaachisee qorannoon Dawit'fi kaan (1999); Mathews (1999); Mesfin (2013); Kefalew fi kaan (2015); Getnet (2017); Selamawit fi Zerihun (2022) Itoophiya keessaas hojjetame, qaamoleen kun bal'inaan kan irraa qophaa'u ta'uu mirkaneessaniiru.

Argannoon biroon, dhukkuboota qorichi bal'inaan hojjetamuuf kanneen biqiltoota irraa qophaa'anidha. Isaanis kanneen akka dhadhaa, aannan, qullubbii adii, jinjibila, bunaafi kan

kana fakkaatan waliin walitti dabalamuun kanneen tajaajilan ta'uu adda ba'eera. Kan ilaachisee, qorannoон Awas'fi kaan (2009) hojjetame qorichoota aadaa qophaa'an walitti makuun tajaajila wal'aansaaf akka oolu argannoo qorannoон isaaniin kan wal-fakkaatudha.

Waliigalatti, qorannoон kun, kutaaleen biqiltootaa, qaamolee bineeldotaafi albuudotaa aadaatiin qoricha qopheessuuf itti fayyadaman jijjiiramoto ta'uu isaanii agarsiise. Akka qorannoон kanaan adda ba'eetti wal'aansa dhukkubsataaf qoricha aadaa ogeeyyiin qopheessan baala, hidda, qola, hidda, daraaraa, sanyii ykn friiii biqiltoota qorichaaf oolan irraa akka ta'e hubatameera. Kunimmoo, argannoo qorattoota hedduun kan mirkanaa'edha. Wallaantonnis irra caalaa biqiltoota yeroo baay'ee argaman irraa saamuda fayyadamuun dhukkubsattoota wallaantuuf qoricha akka qopheessan ibsameera (Getnet, Chandrodyam fi Masresha, 2016). Kunis irra caalaa bu'a qabeessummaa kutaalee biqiltootaa qoricha aadaa wal'aansa keessatti bal'inaan kan tajaajilu ta'uu isaati (Tolossa fi Megersa, 2018).

4.2 Goolaba

Qorannoون kun, qoricha aadaafi shaakala eegumsa fayyaa namootaafi bineeldotaa, Godina Wallaggaa Bahaa Aanaa Heebantuu

qo'achuudha. Ka'umsiifi xiyyeffannoон isaas akka aadaatti, hawaasni Aanaa Heebantuu dhibeelee dhukkuboota namaafi bineeldota miidhan dandamachiisuuf shaakala beekumsa xabboo itti gargaaraman xiinxaluudha. Naannoo qorannoون kun itti geggeeffametti qoricha aadaatiif itti fayyadamni baalaa, hundeefi firiin bal'aa ta'us, manca'iinsa biqiltoota qorichi irraa qophaa'uuf kunuunsi taasifamu xiqqaadha. qorichoota aadaa qopheessuuf hundee biqiltuu kutuuf ciruuti mul'ata. Kunimmoo, biqilaan suni deebi'ee latuuf waan kunuunsa hinarganeef gogee badaa jira. Akka, Dawit'fi kaan, (1999), Mathews, (1999) baala biqiltootaa qorichi irraa qophaa'aniif kunuunsi yoo hintaasifamne, qorichi aadaadhaan qophaa'ee dhalotatti daddarbaa deemu nibada. Baalli badaa yoodeeme daraaraan uumamee firii/ iiji isaa akka dabalaan hindeemne taasisa (Marthin-Hill 2003; Marama, 2010); qorichi aadaan qophaa'us akka badu taasisa (Tolossa fi Megersa, 2018). Gara fuulduraattis biqiltooni sunneen jiraachuuf bu'aa hamaa qaba (Doffana, 2019). Kanaaf, Yuunivarsiitoniifi Biirroon Fayyaa Oromiyaa walitti dhufanii qopheessitoota qoricha aadaa naannoo qorannoون kanaaf leenjiin otoo kennamee caalmaatti haala biqilooni (hidda, hundee, qola, damee, baalaa)fi qabeenyi uumamaa

hinmancaaneefi miidhaa hinuumneen akka hojjetan nigargaara.

Heebantu, ogeessota qonnaafi hirmaattota odhimtootaa guddaa haagalatooman.

Qopheessuuniifi ittifayyadamni qoricha aadaa akka fooyya'ee ittifufuuf hayyoonni dawaa (*pharmacology*), ogeeyyonni buufata fayaa garaagaraa, qorattoonni aadaafi beekumtaa (*folklore*) qorannoo bilchaataa otoo taasisanii beekamtii isaa niguddisa. Ga'ee qorichi aadaa wal'aansa dhukkubaaf qabuu irratti qopheesitoota qoricha aadaafi ogeeyyota qoricha ammayyaa gidduu karaa Biirroo Eegumsa Fayyaatiin waliin mariin otoo jiraatee ittifayyadamaa irratti caalmaatti hubannoona akka dagaagu taasisa. Qorichi aadaa dinagdee biyya tokkoo keessatti gahee guddaa kan qabu waanta'eef qaamni kana ilaallatu: man-kuusa qoricha aadaa qopheessanii otoo walitti guuraniifi dhaabbata qorannoo qoricha aadaa otoo qopheessanii faayidaan isaa olanaadha. Akkasus, qopheessitooni qoricha aadaa adda baafamanii beekamtiin seeraa otoo kennname, darbee, haala qopheessuufi ittifayyadama qoricha aadaa irratti keessaumaa hanga itti fayyadamaafi kan biroo qorataan kun bira hinga'iin akka fooyya'ee itti fufuuf hayyoonni dawaa (*pharmacology*) otoo bal'inaan qoratanii itti fayyadamni fooyya'aa deema.

Galata

Deeggarsa meeshaaleef maallaqaan kan natumse Yuunivarsiitii Wallaggaa baay'een galateeffadha. Ittifufee, adeemsa odeeffannoo walitti qabuu keessatti deeggarsa garaagaraa kan naaf kennan Waajjira Aadaafi Tuurizimii Godinaafi Aanaa

Wabiilee

Abera Balcha, (2014). Medicinal plants used in traditional medicine by Oromo people, Ghimbi District, Southwest Ethiopia. *Journal of Ethnobiology and Ethnomedicine*, 10-15. doi: 10.1186/1746-4269-10-40.

Alemu M, Asfaw Z, Lulekal E, Warkineh B, Debella A, Sisay B, Debebe E. (2024) Ethnobotanical study of traditional medicinal plants used by the local people in Habru District, North Wollo Zone, Ethiopia. *Journal of Ethnobiol Ethnomed.* 20(1):4. doi: 10.1186/s13002-023-00644-x

Alves, Romulo RN, and Rosa, Ierece ML. (2007). Biodiversity, traditional medicine and public health: where do they meet? *Journal of Ethnobiology and Ethnomedicine*, 3, 1-9. DOI: 10.1186/1746-4269-3-14

Amare Fassil and Getachew Gashaw, (2019). An ethno botanical study of medicinal plants in Chiro District West Hararghe, Ethiopia. *African Journal of Plant Science*, Vol. 13(11), pp.3.9-322, DOI:10.5897/AJPS2019.1911

Aragaw, T.J., Afework, D.T., Getahun, K.A. (2020). Assessment of knowledge, attitude,

- Margaa G. *Joornaalii Dilbii, Amajjii-Waxabajji 2025, 3(1): 101-119*
and utilization of traditional medicine
among the communities of Debre Tabor
Town, Amhara Regional State, North
Central Ethiopia: a cross-sectional
study. *Evid Based Complement Alternat
Med.* 1–10. doi: 10.1155/2020/6565131.
- Bekele, G., and Reddy, P.R. (2015). Ethno
botanical study of medicinal plants used
to treat human ailment by Guji Oromo
tribes in Abaya district, Borena, Oromia,
Ethiopia. University *Journal of Plant Science*.
3 (1): 1-8. DOI:10.13189/ujps.2015.030101
- Bussa, N.F., Gemedu, A.S. (2018).
Assessment of traditional medicine
utilization in Harar town, Eastern
Ethiopia. *J Ayurvedic Herbal Med.* 4:158–
64. doi: 10.31254/jahm.
- Carlo, B., Giacarlo, A., and Xiaorui, Z. (2004).
*WHO guidelines on developing consumer
information on proper use of traditional,
complementary and alternative medicine*.
Italy.
- CBD (Convention on Biological Diversity),
(2008). Forest and aquatic plants genetic
resources. Addis Ababa: Institute of
Biodiversity Conservation.
- Central Statistical Authority and ORC. (2001).
Macro Ethiopia demographic and health
- Chali, B.U., Hasho, A., and Koricha, N.B.
(2021). Preference and practice of
traditional medicine and associated factors
in Jimma town, Southwest Ethiopia. *Evid
Based Complement Alternat Med.* 1–7. doi:
10.1155/2021/9962892.
- Chivian E. (2002). *Biodiversity: Its importance
to human health*. Center for health and the
global environment. Harvard: Harvard
Medical School.
- Doffana ZD. (2019). Sacred natural sites,
herbal medicine, medicinal plants and
their conservation in Sidama, Ethiopia.
Cogent Food and Agriculture. 2017; 3:
1365399. DOI: 10.1080/23311932.2017.1365399
[Accessed: 05 February 2019].
- Gabriel, T., & Guji, T. (2014).
Ethnopharmacological survey of
medicinal plants in Agaro district, Jimma
zone, South West Ethiopia. International
Journal of Pharmaceutical Sciences and
Research, 5(8), 3551. [https://doi.org/10.13040/IJPSR.0975-8232.5\(8\).3551-59](https://doi.org/10.13040/IJPSR.0975-8232.5(8).3551-59)
- Gidey, M., Beyene, T., Signorini, M.A.,
Bruschi, P., & Yirga, G. (2015).
Traditional medicinal plants used by
Kunama ethnic group in Northern

- Margaa G. *Joornaalii Dilbii, Amajjii-Waxabajji* 2025, 3(1): 101-119
 Ethiopia. Journal of Medicinal Plants Research, 9(15), 494-509. <https://doi.org/10.5897/JMPR2014.5681>
- Dawit, A., and Ahadu, A. (1999). *Medicinal plants and enigmatic health practice of Northern Ethiopia*. Addis Ababa: Berhaninna Salam Printing Press.
- Kidane L, Gebremedhin G, Beyene T. (2018). Ethnobotanical study of medicinal plants in Ganta Afeshum District, Eastern Zone of Tigray, Northern Ethiopia. *Journal of Ethnobiol Ethnomed*, 14(1):64. doi: 10.1186/s13002-018-0266-z
- Edwards, S., Denissew, S., and Hedberg, I. (2000). Flora of Ethiopia and Eritrea. Ethiopia: National Herberium, Addis Ababa University Press.
- Federal Democratic Republic of Ethiopia Ministry of Health. Health and Health Related Indicators, (2003/04). Addis Ababa, December 2004.
- Fekadu, F. (2001). *Ethiopian traditional medicine: Common medical plants in perspective*. Sioux City, Iowa: St. Luke's Regional Medicinal Center.
- Fekadu, Fullas, (2001). *Ethiopian traditional medicine: Common medical plants in perspective*. Sioux City, Iowa: St. Luke's Regional Medicinal Center.
- Freeman, M., and Motsei, M., (1992). Planing health care in South Africa-is there arole for traditional healers? *Social Science and Medicine*, 34, (11), 1183-1190. [https://doi.org/10.1016/0277-9536\(92\)90311-D](https://doi.org/10.1016/0277-9536(92)90311-D)
- Getnet Chekole, (2017). Ethnobotanical study of medicinal plants used against human ailments in Gubalafto District, Northern Ethiopia. *Journal of Ethnobiology and Ethnomedicine*; 13(1), 1-29; DOI: 10.1186/s13002-017-0182-7
- Getnet Z, Chandroyam S, Masresha G. (2016). Studies on traditional medicinal plants in ambagiorgis area of Wogera district, Amhara regional state, Ethiopia. *International Journal of Pure and Applied Bioscience.*; 4 (2): 38-45.
- Gumisiriza, H., Sesaaizi, C.D., Olet, E.A., Kembabazi, O., & Birungi, G. (2021). Medicinal plants used to treat "African" diseases by the local communities of Bwambara sub-county in Rukungiri District, Western Uganda. *Journal of Ethnopharmacology*, 268, 113578. <https://doi.org/10.1016/j.jep.2020.113578>
- Haile Yineger, Delenasaw Yewhalaw and Demel Teketay, (2008). Ethnomedicinal plant knowledge and practice of the

- Margaa G. *Joornaalii Dilbii, Amajjii-Waxabajji 2025, 3(1): 101-119*
 Oromo ethnic group in southwestern Ethiopia. *Journal of Ethnobiology and Ethnomedicine*, Vol. 4(4), pp1-10. Dio:10.1186/1746-4269-4-11.
- Hedberg, I., Kelbessa, E., Edwards, S., Demissew, S. and Persson, E. (2006) Flora of Ethiopia and Eritrea, Volume 5. Gentianaceae to Cyclocheilaceae. National Herbarium, Addis Ababa University.
- Heilbron, C.L., & Guttman, M.A.J. (2000). Traditional healing methods with first nation women in group counseling. *Canadian Journal of Counseling*, 34, (1), 3-13.
- Hill, D.M. (2009). Traditional medicine and restoration of wellness strategies. *Journal of Aboriginal Health*. PP. 26-42.
- Hillenbrand, E. (2006). Improving traditional conventional medicine collaboration: Perspectives from Cameron traditional practitioners. *Nordic Journal of African Studies*, 15 (1), 1-15; DOI:10.53228/njas.v15i1.7
- Jain, D., Jain, Y., and Jain, M. (2014). Anti-inflammatory herbal remedy-An Updated review. *Global Journal of Traditional Medicinal Systems*, Vol.3, (2), 1-6.
- Kalayu Mesfin, Gebru Tekle, Teklemichael Tesfay, (2013). Ethnobotanical study of traditional medicinal plants used by Indigenous people of Gemad District, Northern Ethiopia. *Journal of Medicinal Plants Studies*, Vol. 1, (4), 32-37.
- Kassaye, K.D., Amberbir, A., Getachew, B. and Mussema, Y. (2006). A historical overview of traditional medicine practices and policy in Ethiopia. *Ethiopian Journal of Health Development*, 20, 127-134. <https://doi.org/10.4314/ejhd.v20i2.10023>
- Kebebew M. (2016). Knowledge of medicinal plants used in and around Fincha'a Town, Western Ethiopia. *Journal of Pharmacognosy Phytochemical*. 5(6):110-4.
- Kefalew, A., Asfaw, Z., & Kelbessa, E. (2015). Ethnobotany of medicinal plants in Ada'a District, East Shewa Zone of Oromia regional state, Ethiopia. *Journal of Ethnobiology and Ethnomedicine*, 11(1), 1-28. <https://doi.org/10.1186/s13002-015-0014-6>
- Kundu S, and Bag A. (2012). Indigenous health care practices among Rajbanshi of Dakshin Dinajpur, West Bengal. *Stud Ethno-Medicine*. 6(2):117-20.
- Lev, E. (2003). Traditional healing with animals (zootherapy): Medieval to

- Margaa G. present-day Levantine practice. *Journal of Ethnopharmacol*, 86:107-118.
- Joornaalii Dilbii, Amajjii-Waxabajji 2025, 3(1): 101-119
- information systems. *IFLA Journal*, 28 (5-6), 281-291.
- Marama, M. (2010). *Culture and development evaluation and practice*, UNESCO Working papers, No.1 Spain, UNESCO.
- Marthin-Hill, D. (2003). *Traditional medicine in contemporary contexts: practicing and respecting indigenous knowledge and medicine*. Ottawa: National Aboriginal Health Organization.
- Mathews, H.B. (1999). Medicinal herbs in the United States: Research needs. *Environmental Health Perspectives*, Vol. 107, (10).
- Meena, A.K., and Rao, M. M. (2010). Folk herbal medicines used by the Meena community in Rajasthan. *Asian Journal of Traditional Medicines*, 5 (1), 19-31.
- Melaku Tafese Awulachew, (2021). Hand Book of common Ethiopian traditional medicinal plants: Their parts and uses for human and animal treatments. *Journal of Diseases and Medicinal Plants*, Vol. 7, No. 3, pp. 48-60. doi: 10.11648/j.jdmp.20210703.11
- Oliver-Bever B. (1986). Medicinal plants in tropical West Africa. Cambridge: Cambridge University Press.
- Ozgen, U., Kaya, Y., Houghto, P. N. (2012). Folk medicines in the villages of Ilıca District (Erzurum, Turkey). *Turk Journal of Biology*, 36, 93-106.
- Pearce, T. O. (2000). Death and maternity in Nigeria. In Turshen, Meredith (ed.). *African Women's Health*. Trenton, NJ: Africa World Press, Inc. pp.4-5.
- Ray, T. (2014). Customary use of mangrove tree as a folk medicine among the Sundarban Resource collectors. Impact: *International Journal of Research in Humanities, Arts and Literature (IJRHAL)*, 2, (4), 43-48.
- Selamawit Nega and Zerihun Girma, (2022). Ethnobotanical study of medicinal plants in Kore District, SouthEastern Ethiopia. *Journal of Basic and Applied Research International*, 28(3): 17-32, 2022; DOI: 10.56557/JOBARI/2022/v28i37770
- Nakta, M. (2002). Indigenous knowledge and the culture interface: Underlying issues at the interaction of knowledge and
- Shosan, L.O., Fawibe, O. O., Ajiboye, A. A. Abeegunrin, D T.f. Agboola A. A. (2014). Ethnobotanical Survey of Medicinal Plants Used in Curing Some Diseases in Infants

- Margaa G. *Joornaalii Dilbii, Amajjii-Waxabajji 2025, 3(1): 101-119*
 in Abeokuta South Local Government Area of Ogun State, Nigeria. *American Journal of Plant Sciences* Vol.5 No.21, October 27, DOI: 10.4236/ajps.2014.521340
- Stewart, S. (2007). Indigenous helping and healing in counselor. *Training Center for Native Policy and Research Monitor*, 2 (1), 53-65.
- Tolossa T, Megersa M. (2018). Ethnobotanical Study of Medicinal Plants Used to Treat Human Diseases in Berbere District, Bale Zone of Oromia Regional State, South East Ethiopia. London: Hindawi; Available from: <https://doi.org/10.1155/2018/8602945>.
- Transitional Government of Ethiopia Health Sector Strategy. (1995). Addis Ababa.
- Tshehla, B. (2015). Traditional health practitioners and the authority to issue medical certificates. *South African Medical Journal*.105(4):279-280. DOI: 10.7196/SAMJ.9217.
- WHO. (2004). *Guidelines on developing consumer information on proper use of traditional, complementary & alternative medicine*. Italy. Pp.24-25.
- WHO. (2000). *General guidelines for methodologies on research and evaluation of traditional medicine*. Geneva.
- WHO. (2001). *Legal Status of Traditional Medicine and Complementary/Alternative Medicine: A WorldWide Review*. Geneva.
- WHO. (2002-2005). *Traditional medicine strategy*. Geneva. http://whqlibdoc.who.int/hq/2002/WHO_EDM_TRM_2002.1.pdf
- WHO. (2003). Fact sheet, traditional medicine, Geneva.
- WHO. (2005). National policy on traditional medicine and regulation of herbal medicines, Report of a WHO Global Survey, Geneva, Switzerland.
- Williams, E., Guenther, J., and Arnott, A. (2011). Traditional healing a literature review. *Working Paper Series 2: Evaluation and Policy*, No.2, 1-32.
- Yadav, R.H. (2013). Medicinal plants in folk medicine system of Ethiopia. *Journal of Poisonous and Medicinal plants Research*, Vol.1, (1), 7-11.